

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/608,547	06/30/2003	Masafumi Aramata	103176-00002	7261	
4372	7590 08/05/200	00 08/05/2004		EXAMINER	
	X KINTNER PLOT ECTICUT AVENUE.	MAUST, TIM	OTHY LEWIS		
SUITE 400			. ART UNIT	PAPER NUMBER	
WASHINGT	ON, DC 20036		3751		

DATE MAILED: 08/05/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Λ Λ Λ				
	Application No.	Applicant(s)				
	10/608,547	ARAMATA ET AL.				
Office Action Summary	Examiner	Art Unit				
·	Timothy L Maust	3751				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL'	V IS SET TO EYDIDE 2 MONTH	(S) EPOM				
THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply if NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ti y within the statutory minimum of thirty (30) da will apply and will expire SIX (6) MONTHS fron , cause the application to become ABANDONE	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 30 Ju	Responsive to communication(s) filed on 30 June 2003.					
	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
·						
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-15</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-8,10 and 12-15</u> is/are rejected.						
	Claim(s) 9 and 11 is/are objected to.					
8) Claim(s) are subject to restriction and/o	r election requirement.	_				
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>30 June 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
11) Ine oath or declaration is objected to by the Ex	caminer. Note the attached Office	e Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Patent Application (PTO-152)					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 10/7/03.	5)  Notice of Informal I 6)  Other:	( 10 10c)				
S. Datent and Trademark Office	17-1					

Application/Control Number: 10/608,547

Art Unit: 3751

### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 1-8, 10 and 12-15 are rejected under 35 U.S.C. 102(e) as being anticipated by Thilly et al.

In regard to claims 1, 10 and 15, the Thilly et al. reference discloses a drug solution container with a connector comprising a "drug solution container" 6 having an "injection needle connecting part" 1 and a "hollow connector" 2B; the "communicating connector" 8 comprises a "cylindrical guide part" (i.e., screw threads) capable of being "slidably attached" (i.e., slidably rotating onto connecting part 1) and a "hollow penetrating member" 14; the "penetrating member" 14 comprises a "penetrating needle" and a "connecting part" 15, as claimed.

Application/Control Number: 10/608,547

Art Unit: 3751

In regard to claims 2-8, inasmuch structure that is defined by "fragile portion", engagement parts 5 that meet with screw threads at element 15 meet the claimed limitation (col. 6, line 25). Further, in regard to the material see column 5, lines 54-61.

In regard to claim 12, see "seal" 11 in Figs. 3B and 3C.

In regard to claim 13, see "gasket" and "barrel" in Figure 1.

In regard to claim 14, see "bottle" 37 in Figs. 5A-D.

## Allowable Subject Matter

Claims 9 and 11 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The Zinger et al. and Peterson et al. pertain to various syringe transfer devices, similar to the Applicant's device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L Maust whose telephone number is (703) 308-3390. The examiner can normally be reached on Tue. - Fri. 6:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on (703) 308-2580. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/608,547

Art Unit: 3751

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy L Maust Primary Examiner Art Unit 3751

Tlm 7/28/04